



# PRODUCT CATALOGUE FOR AUTHORIZED DEALERS





# TABLE OF CONTENTS

Interior Finishes	4
Ceiling Products	7
Primers & Sealers	8
Exterior Finishes	11
Elastomerics	12
Exterior Stains	13
Sealers	14
Zone & Line Marking	15
Varnishes & Clearcoats	16
Thinners & Reducers	18

***Looking for Sundries and Equipment?***

Please speak with your Cloverdale Paint Representative about these important product categories to suit your business.



# INTERIOR FINISHES



**ecologic**<sup>®</sup>  
The Logical Environmental Choice

EcoLogic<sup>®</sup> Ultra Low VOC Interior/Exterior Waterborne Series are our finest high performance Architectural finishes with near zero VOC. Ideal for use in Residential and Commercial applications where high-traffic finishes are needed, such as in schools, hospitals, institutional and light industrial applications.

\* Interior / Exterior Quality



**Super II**<sup>®</sup>

SuperII is a 100% acrylic latex line of coatings providing maximum durability and application characteristics for interior walls and trim. Cloverdale's Premium 'workhorse' finishes are widely used in Residential applications for walls, doors, trim in new and re-paint projects.



**PremiumClassic**

Cloverdale Paint's Premium Classic series is specifically formulated to provide professional applicators with a premium quality coating that exceeds the hiding and application performance of regular premium contractor product lines.



**Master Painter**

The Master Painter brand has been specifically formulated for the Professional Contractor. Master Painter offers high quality characteristics at a value price. Ideally suited for commercial work where industry quality approvals are required.

	"FLAT"	"EGGSHELL"	"PEARL"	"LOW-GLOSS"	"SEMI-GLOSS"	"GLOSS"
GLOSS LEVEL	1	2	3	4	5	6
CODE	7066-Series	7069-Series*	7065-Series*	7068-Series*	7062-Series*	7060-Series*
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL BLACK	WHITE DEEP NEUTRAL
GALLON	●	●	●	●	●	●
QUART	●	●	●	●	●	●
PAIL	●	●	●	●	●	●
MPI	143	138, 144	139, 145, 151, 161, 315	140, 146	141, 153, 163, 311	114, 119, 154, 164

	"EGGSHELL"	"SEMI-GLOSS"
GLOSS LEVEL	2	5
CODE	4305-Series	4405-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●
QUART	●	●
PAIL	●	●
MPI	138	141

	"FLAT"	"EGGSHELL"	"PEARL"	"SEMI-GLOSS"
GLOSS LEVEL	1	2	3	5
CODE	0312-Series	0324-Series	0382-Series	0112-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●	●	●
QUART	●	●	●	●
PAIL	●	●	●	●

	"FLAT"	"EGGSHELL"	"SEMI-GLOSS"
GLOSS LEVEL	1	2	5
CODE	03760	0325-Series	01120
TINT BASES	WHITE	WHITE DEEP	WHITE
GALLON	●	●	●
PAIL	●	●	●
MPI	53	44	54

# SPECIALTY FINISHES



## Horizon®

Horizon is an ultra-low VOC, low odour paint designed for use where paint odours may be irritating to the applicator or occupants of the area being painted. This 100% acrylic latex finish provides a durable, washable finish suitable for walls in medium traffic areas.

	"FLAT"	"EGGSHELL"	"SEMI-GLOSS"
GLOSS LEVEL	1	2	5
CODE	9076-Series	9075-Series	9072-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●	●
PAIL	●	●	●
MPI	143	144	147



## MultiMaster

Multimaster is Water-borne Acrylic Urethane designed for both interior and exterior applications. Formulated with our VST (Variable Substrate Technology), this universal coating provides both functionality and aesthetic value in a low odour, non-flammable formulation.

\* Interior / Exterior Quality

	"SATIN"	"SEMI-GLOSS"
GLOSS LEVEL	3	5
CODE	7145-Series	7142-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●
QUART	●	●
PAIL	●	●



## Renaissance®

Renaissance® is a hybrid waterborne premium quality interior/exterior alkyd enamel that provides the toughness and durability of alkyd or oil-based paints but in a low VOC water-based formulation. Excellent water and abrasion resistance to withstand repeated scrubbing and wear and tear.

	"LOW GLOSS"	"SEMI-GLOSS"
GLOSS LEVEL	4	5
CODE	0345-Series	0311-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●
QUART	●	●
PAIL	●	●
MPI		169



## PremiumClassic HIGH PERFORMANCE

Cloverdale Paint's High Performance Premium Classic series is formulated for professional applicators where better washability and stain resistance as compared to conventional interior latex coatings is required. Exceeds the hiding and application performance of regular premium contractor product lines.

	"PEARL"	"SEMI-GLOSS"
GLOSS LEVEL	3	5
CODE	0395 - Series	0392 - Series
TINT BASES	WHITE	WHITE
GALLON	●	●
PAIL	●	●
MPI	139	141







# SPECIALTY FINISHES



## KITCHEN & BATH

Kitchen & Bath is formulated with the latest 100% acrylic latex technology and provides maximum durability with superior stain resistance and washability. Its superior adhesion with smooth flow and leveling properties make Kitchen & Bath the best choice for use in kitchens, bathrooms, laundry rooms and other areas that are prone to moisture on walls.



## ecologic<sup>®</sup> ColourCoat

EcoLogic<sup>®</sup> ColourCoat Bases are high performance waterborne coatings specifically formulated in three rich coloured bases to produce more saturated accent colours for Commercial and Residential applications.

\* Interior / Exterior Quality



## COLOUR TESTER QUARTS

A great way for customers to 'test drive' their colours before committing to the final wall colour. An eggshell-like medium sheen finish that can be tinted to any of our 'standard' colours from our various colour systems, including Colorizer and Artisan<sup>®</sup>. (Note: No CAA Discount for Colour Tester Quarts.)

	"PEARL"	"SEMI-GLOSS"
GLOSS LEVEL	3	5
CODE	0362-Series	0365-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●
QUART	●	●
MPI	139	141

	"EGGSHELL"	"SEMI-GLOSS"
GLOSS LEVEL	2	5
CODE	7063-Series*	7064-Series*
TINT BASES	YELLOW RED BLUE	YELLOW RED BLUE
GALLON	●	●
QUART	●	●
PAIL	●	●
MPI	139, 151, 161	153, 163

GLOSS LEVEL	2 "EGGSHELL"
CODE	0300 - Series
TINT BASES	WHITE DEEP NEUTRAL

# CEILING PRODUCTS



## PremiumClassic Ceiling Latex

Premium Classic Flat Latex Ceiling Paint is a latex emulsion designed for previously painted textured ceilings or new and previously painted smooth ceilings where a dead flat sheen with high light reflection is required. It is formulated to reduce roller spatter along with excellent hiding when dry. Qualifies for LEED® credits.

GLOSS LEVEL	<b>1 "FLAT"</b>
CODE	03360
TINT BASES	WHITE
GALLON	●
QUART	●
PAIL	●
MPI	



## MasterPainter

### Alkyd Calcimine Recoater

A professional interior oil base wall finish for use on all interior walls and ceilings including drywall, plaster, masonry, and primed wood. The rich, flat finish reduces the appearance of physical surface imperfections. Ideally suited for textured walls and ceilings.

GLOSS LEVEL	<b>1 "FLAT"</b>
CODE	13163
TINT BASES	OFF WHITE
GALLON	●
PAIL	●
MPI	49



## Latex Dryfall Ceiling Paint

Latex Dryfall Flat is a water-based pure acrylic latex for use on ceilings of Commercial or Industrial buildings. This product has excellent light reflectance, contains a flash rust inhibitor and adheres very well to most surfaces. During normal drying conditions, over-spray which has fallen more than standard commercial ceiling height (20 - 25') can be swept up easily.

	<b>"FLAT"</b>	<b>"SEMI-GLOSS"</b>
GLOSS LEVEL	<b>1</b>	<b>5</b>
CODE	05137, 38	05135
BASES	WHITE (37) BLACK (38)	WHITE
PAIL	●	●
MPI	118, 133	158



## Q.D. Texture Undercoat

Quick Dry Latex Texture Undercoat is a quick drying, high build product designed as an undercoat for use on new textured drywall ceilings and walls. This product has very high hiding properties and provides an excellent base for the application of texture material.

GLOSS LEVEL	<b>1 "FLAT"</b>
CODE	03755
BASES	WHITE
PAIL	●

# PRIMERS & SEALERS



## PremiumClassic Latex Drywall Sealer

A premium latex primer/sealer for use on new drywall, interior masonry surfaces and to prime patching compounds used with wall repairs prior to repainting. This product is a superior performing, higher hiding, vinyl-acrylic latex sealer with excellent sanding properties. *NOTE: Can be tinted to one-half strength to approximate finish coat colour.*

GLOSS LEVEL	<b>1 "FLAT"</b>
CODE	05250
TINT BASES	WHITE
GALLON	●
QUART	●
PAIL	●
MPI	50



## MasterPainter

### Interior Latex Drywall Primer

A professional interior drywall primer/undercoat for use on new drywall, interior masonry surfaces, and to prime patching compounds used with wall repairs prior to repainting. Best suited for use under latex and acrylic finish coats.

GLOSS LEVEL	<b>"FLAT"</b>
CODE	05720
TINT BASES	OFF WHITE
GALLON	●
PAIL	●



## PremiumClassic Latex Block Filler

A contractor/maintenance, Interior/Exterior, heavy bodied blockfiller designed to fill voids and reduce irregularities on new concrete block and other types of masonry. May be tinted with up to 4 ounces of universal colorant per gallon.

GLOSS LEVEL	<b>1 "FLAT"</b>
CODE	05700
TINT BASES	WHITE
GALLON	●
PAIL	●
MPI	4

\* Interior / Exterior



## MasterPainter

### Int/Ext Latex Block Filler

A professional quality, heavy bodied, interior/exterior latex undercoat designed to fill voids and smooths irregularities on new concrete block and other masonry surfaces. Helps reduce the porosity and seal masonry surfaces prior to painting.

GLOSS LEVEL	<b>"FLAT"</b>
CODE	05740
TINT BASES	WHITE
GALLON	●
PAIL	●



# STAIN BLOCKING PRIMERS



\* Interior / Exterior

## prime**solution**

### 100% Acrylic Latex Stain Block

A premium interior/exterior acrylic latex primer/undercoat for use on new or previously painted woodwork and siding. Provides excellent adhesion to moderately chalky surfaces. May also be used to seal stucco and masonry and to prime galvanized metal. This product provides optimum sealing, excellent adhesion, resistance to peeling and cracking with maximum hiding.

GLOSS LEVEL	1 "FLAT"
CODE	05130
TINT BASES	WHITE
GALLON	●
QUART	●
PAIL	●
MPI	3, 6, 39, 134, 137



\* Interior / Exterior

## prime**solution**

### Alkyd Stain Block

A premium interior/exterior alkyd (VOC-compliant oil base) primer for use on new or previously painted woodwork and siding including plywood, particle boards, oriented strand board and dimensional lumber. It is formulated to prevent staining and tannin bleeding on painted woods such as redwood and

GLOSS LEVEL	1 "FLAT"
CODE	15130
TINT BASES	WHITE DEEP
GALLON	●
QUART	●
PAIL	●
MPI	5, 46, 136



\* Interior

## prime**solution**

### Alkyd Stain Blocking Shellac

A premium quality interior synthetic primer for use on new or previously painted surfaces, woodwork including plywood, particle boards, oriented strand board, and dimensioned lumber. Formulated for blocking stains, fire and smoke damaged surfaces as well as for blocking tannin bleed when painting on woods such as redwood and cedar.

GLOSS LEVEL	1 "FLAT"
CODE	15150
TINT BASES	WHITE
GALLON	●
PAIL	●



\* Interior / Exterior

## prime**solution**

### Alkyd Stain-Blocking Speed Primer

Alkyd Stain-Blocking Speed Primer is a fast drying, interior/exterior bonding and stain-blocking primer for use where speed of re-coating is important. Excellent adhesion, flexibility, solvent resistance, staining resistance and early sanding times makes this an excellent multi-surface surface primer for use on a variety of substrates including composite materials and non-ferrous metals. This product meets federal VOC requirements for Environment Canada under Category #39.

GLOSS LEVEL	1 "FLAT"
CODE	15910
TINT BASES	WHITE
GALLON	●
PAIL	●
MPI	69



# SPECIALTY PRIMERS & SEALERS



\* Interior / Exterior

## prime**solution**

### Acrylic Rustex (PROFESSIONAL USE ONLY)

A premium quality water-borne anti-corrosive primer for application to properly prepared ferrous and non-ferrous metals. This product has good corrosion resistance, re-coat tolerance and adhesion to a wide range of substrates. It is non-flammable, and has low VOC content.

GLOSS LEVEL	<b>1 "FLAT"</b>
CODE	7032 - Series
TINT BASES	WHITE GREY
GALLON	●
PAIL	●
MPI	107, 134



\* Interior / Exterior

## prime**solution**

### Acrylic Speed Bonding

An interior/exterior water-borne Acrylic Speed Primer with excellent adhesion and lower odour than other quick drying primers for hard, non porous surfaces. This product features high hiding properties and is ideal where drastic colour change is required.

GLOSS LEVEL	<b>1 "FLAT"</b>
CODE	05910
TINT BASES	WHITE
GALLON	●
QUART	●
PAIL	●
MPI	17



\* Interior / Exterior

## prime**solution**

### Alkyd Stain-Blocking Speed Primer

Alkyd Stain-Blocking Speed Primer is a fast drying, interior/exterior bonding and stain-blocking primer for use where speed of re-coating is important. Excellent adhesion, flexibility, solvent resistance, staining resistance and early sanding times makes this an excellent multi-surface surface primer for use on a variety of substrates including composite materials and non-ferrous metals. This product meets federal VOC requirements for Environment Canada under Category #39.

GLOSS LEVEL	<b>1 "FLAT"</b>
CODE	15910
TINT BASES	WHITE
GALLON	●
PAIL	●
MPI	69



### Corroseal Rust Converting Primer

Extend the life of your metal equipment by protecting it from rust and corrosion. Corroseal converts rust (iron oxide) into a stable substance, magnetite. It also primes the surface with a high quality latex metal primer at the same time.

	<b>"PRIMER"</b>
GLOSS LEVEL	<b>N/A</b>
CODE	823 - Series
BASE	WHITE
GALLON	●
QUART	●
PAIL	●

# EXTERIOR FINISHES



## GUARDIAN®

Guardian is an ultra-premium, 100% acrylic exterior finish designed to deliver the highest level of protection. With superior adhesion, flexibility, weathering and self-priming capabilities, this coating delivers a barrier that will repel dirt and debris and reduce mildew growth to extend the life of the coating.

Fortified with X-Link Technology, this coating has exceptional early water resistance and low temperature capabilities which will allow you to extend your painting season. This product has excellent hide, flow and leveling properties that makes it an ideal choice for both DIY and professional applicators.



## WEATHERONE™

WeatherOne® CoverCoat Exterior is a premium 100% acrylic latex finish for use on stucco, masonry and primed wood. An ideal choice for masking the effects of uneven light refraction on irregular surfaces such as concrete "tilt up" construction and all exterior textured substrates. Provides a rich, even finish with excellent hiding properties.



## RANCH RENEW

Ranch Renew is an Exterior Hybrid waterborne alkyd coating that provides the performance of an alkyd with the convenience of Water based coatings. This economical coating will offer very good adhesion and weathering properties making it a good choice for new or existing barns, fences, sheds and outbuildings. Pre-mixed to traditional barn colours the factory produced colours will give good hiding and ease of application. This product can be applied to new or previously painted metal, concrete, FCB, smart board, and wood surfaces and is self-priming to most surfaces. The bio-renewable composition of this product makes this an excellent choice for maintaining and "Renewing" new or existing ranch infrastructure.

\*\*\*Booking Only

	"FLAT"	"SATIN"	"SEMI-GLOSS"
GLOSS LEVEL	1	3	5
CODE	0260-Series	0270-Series	0280-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL
GALLON	●	●	●
MPI	10	15	11

	"FLAT"	"SATIN"	"SEMI-GLOSS"
GLOSS LEVEL	1	3	5
CODE	0220-Series	0201-Series	0212-Series
TINT BASES	WHITE DEEP NEUTRAL	WHITE DEEP NEUTRAL BLACK (#2007)	WHITE DEEP NEUTRAL
GALLON	●	●	●
QUART	●	●	●
PAIL	●	●	●
MPI	10	15	11

	"FLAT"	"SEMI-GLOSS"	"GLOSS"	"GLOSS"
GLOSS LEVEL	1	5	6	6
CODE	39013	39023	39001	39002
TINT BASES	WHITE	WHITE	BRILLIANT RED	RANCH RED
GALLON	●	●	●	●
PAIL	●	●	●	●





# ELASTOMERICS



## TOWERTHON®

A high solids, internally plasticised, elastomeric coating formulated for use on masonry, concrete, prepared vinyl and aluminum siding, properly primed metal and primed wood. Towerthon's excellent elongation properties, even at low temperatures, make it the coating of choice for hairline or "spider web" cracked surfaces. It moves with the building, expanding and contracting to maintain a water-repellent barrier. The high elongation and recovery properties allow this product to bridge cracks up to 1/16 inch. Towerthon has excellent weathering and color retention properties and contains a fungicide for added mildew resistance on the dried film.

"FLAT"	
GLOSS LEVEL	1
CODE	2015-Series
TINT BASES	WHITE DEEP NEUTRAL
GALLON	●
PAIL	●
MPI	40, 113



## FLEX-HIDE®

Flex-Hide® Elastomeric Acrylic is a hybrid product featuring the excellent flexibility, build and bridging properties of an elastomeric with the good wetting and easy working properties of a standard acrylic latex. This product has higher build capabilities and is able to penetrate and fill small "bug holes" and small cracks in tilt-up concrete. Flex-Hide® Elastomeric Acrylic has excellent alkali resistance for application to new concrete and superior weather resistance for long-term performance.

"FLAT"	
GLOSS LEVEL	1
CODE	2019-Series
TINT BASES	WHITE DEEP NEUTRAL
GALLON	●
PAIL	●
MPI	52

# EXTERIOR STAINS



## SharkSkin® Solid Hide Deck & Siding

An exterior 100% acrylic solid hide stain developed with the industry's latest hybrid waterborne technology that provides superior adhesion, durability and resistance to cracking, peeling, and blistering. Formulated with fewer volatile solvents and additional mold & mildew inhibitors compared to conventional solid hide stains.

GLOSS LEVEL	2 "VELVET"
CODE	724 - Series
TINT BASES	WHITE DEEP NEUTRAL
GALLON	●
PAIL	●



## SharkSkin® Translucent Deck & Siding

The ultimate in deep penetrating translucent exterior wood protection that allows the natural beauty of the wood's grain and texture to show through the stain. An exterior oil/alkyd hybrid translucent stain formulated with the use of transparent iron oxide pigments and mildewcides for maximum longevity and performance.

GLOSS LEVEL	PENETRATING
CODE	725 - Series
TINT BASES	CEDAR, REDWOOD, HONEY MAPLE, TEAK, ARBUTUS, CINDER, IRONWOOD, WEATHERED FIR
GALLON	●
MPI	13, 33



## WEATHERONE™ Solid Hide Acrylic Stain

A high quality exterior 100% acrylic latex solid hide stain backed by a 15-year limited warranty. Formulated with the latest acrylic technology, additional volume solids and mold & mildew additives make this an ideal choice for vertical wood siding, wood composites, shingles, trim and fascia.

GLOSS LEVEL	1 "FLAT"
CODE	7230 - Series
TINT BASES	WHITE DEEP NEUTRAL
GALLON	●
PAIL	●
MPI	16



## WEATHERONE™ Translucent Acrylic Stain

A premium quality, 100% acrylic, semi-transparent wood stain that provides a long lasting decorative finish by allowing the natural wood grain to show through. This product is a fast drying, low sheen, abrasion resistant product that provides excellent penetration into the wood surface.

GLOSS LEVEL	PENETRATING
CODE	0668 - Series
TINT BASES	CLEAR
GALLON	●
PAIL	●
MPI	156

# SEALERS



## AQUASEAL

### AquaSeal Clear Acrylic Water Repellent

A premium quality all-purpose sealer for use on a variety of masonry surfaces. AquaSeal forms a weather resistant, moisture barrier protecting concrete and masonry surfaces from damage caused by efflorescence, spalling, de-icing salts, freeze-thaw cycles and general degradation caused by water infiltration. Can be used for interior or exterior application.

#### "SATIN"

GLOSS LEVEL	2
CODE	43700
TINT BASES	NEUTRAL
GALLON	●
PAIL	●
MPI	99



## CONCRETE GLAZE

### Seal-N-Shine Concrete Glaze

Clear Concrete Glaze is a solvent based acrylic penetrating sealer for concrete, brick, exposed aggregate, tile, terrazzo, mortar and masonry block. The film is very clear, non-yellowing, non-lifting and is suitable for interior or exterior exposure. Gives the coated substrate a "wet look".

#### "GLOSS"

GLOSS LEVEL	6
CODE	45110
TINT BASES	GLOSS
GALLON	●
PAIL	●
MPI	34, 104



## PORCH & FLOOR

Interior/Exterior Porch & Floor Acrylic Coating is a premium interior/exterior 100% acrylic latex floor finish for use on steps, concrete and wood floors. Ideal for painting basement and utility room floors, concrete patios and porches. The low odour, fast dry formula is suited for household or light industrial uses.

#### "PEARL"

GLOSS LEVEL	3
CODE	0250-Series
TINT BASES	WHITE LIGHT GREY DEEP NEUTRAL
GALLON	●
MPI	60



# ZONE & LINE MARKING



## Zone Marking Paint

Latex Line and Zone Marking Paint is a very fast drying, waterborne acrylic traffic paint designed for high build applications to horizontal surfaces. This product features excellent through dry at elevated humidity (90 - 95%) combined with high reflectance values. Intended for use on concrete or bituminous roads, walkways, parking lots and curbs. It is lead and chromate-free and formulated to meet CGSB-1.219 requirements.

"FLAT"	
GLOSS LEVEL	1
CODE	7025 - Series
TINT BASES	WHITE YELLOW
GALLON	●
PAIL	●
MPI	97



## Latex Field Marking Paint

Latex Field Marking Paint is a highly reflective line paint for line striping use on natural grass and synthetic playing fields. This product is easy to apply and has high coverage and opacity properties to provide solid line striping. This material is non-toxic and will not permanently damage natural turf. For marking lines, numbers or graphics on grass, synthetic and other playing fields. This product can be used on any surface requiring an easy striping, semipermanent coating. Apply only at temperatures above 10°C.

"FLAT"	
GLOSS LEVEL	1
CODE	70210
TINT BASES	OFF WHITE BASE
GALLON	●
PAIL	●

# INTERIOR VARNISHES & CLEAR COATS



## TIMBERLOX®

### Interior Acrylic Sanding Sealer

A water-borne, fast drying, non-yellowing, low odour, clear acrylic sanding sealer that penetrates porous wood surfaces, dries quickly and sands easily. It can be used on any interior wood, millwork, paneling, furniture, doors or trim prior to varnishing.

GLOSS LEVEL	<b>PENETRATING</b>
CODE	42114
BASE	CLEAR
GALLON	●



## TIMBERLOX®

### Interior Waterborne

#### Alkyd Varnish

A general purpose interior varnish featuring good hardness, adhesion, and durability. This product is non-flammable and resistant to hot and cold water, household chemicals and alcohol. Environmentally friendly, with very low odour levels, this product cleans up with soap and water.

	<b>"LOW LUSTRE"</b>	<b>"SATIN"</b>	<b>"SEMI-GLOSS"</b>	<b>"GLOSS"</b>
GLOSS LEVEL	<b>1</b>	<b>2</b>	<b>5</b>	<b>6</b>
CODE	59304	59314	59314	59324
BASE	CLEAR	CLEAR	CLEAR	CLEAR
GALLON	●	●	●	●
QUART		●	●	●
MPI		28	128	130



## TIMBERLOX®

### Interior Waterborne

#### Wood Finish

A clear urethane modified finish for use on new or previously stained interior wood. This product features excellent toughness and adhesion combined with good resistance to filtered sunlight to provide a high degree of protection to interior wood surfaces.

	<b>"SATIN"</b>
GLOSS LEVEL	<b>2</b>
CODE	56614
BASE	CLEAR
GALLON	●
QUART	●
PAIL	●
	<b>"SATIN"</b>



## TIMBERLOX®

### Interior Waterborne

#### Polycarbonate Varnish

A non-yellowing interior polycarbonate varnish with excellent abrasion and chemical resistance in a low odor, crystal clear finish. Provides excellent adhesion and UV protection to wood and engineered wood surfaces. This product is nonflammable and resistant to hot and cold water, household chemicals and alcohol.

GLOSS LEVEL	<b>3</b>
CODE	47014
BASE	CLEAR
GALLON	●
QUART	●

# EXTERIOR VARNISHES & CLEAR COATS



## TIMBERLOX®

### Exterior Marine Super Spar Varnish

A transparent high gloss varnish specially formulated for use in harsh marine and exterior environments. It contains an ultra-violet light absorber for extended life. It is ideally suited for use on wood surfaces such as doors, trim, boat railings, exterior furniture, spars and boat decks.

#### "HIGH-GLOSS"

GLOSS LEVEL	7
CODE	43174
BASE	CLEAR
GALLON	●
QUART	●
MPI	28



## SUNFAST

### Exterior Waterborne Wood Finish

Rich exterior water-borne 100% acrylic cedar tone wood finish that provide outstanding UV protection. Ideal for doors, railings, exterior wood furniture, soffits, siding, log homes, trim, and fences.

#### "SATIN"

GLOSS LEVEL	2
CODE	56615
BASE	SATIN CEDAR TONE
GALLON	●
PAIL	●



## SUNFAST

### Exterior Alkyd Wood Finish

Rich exterior VOC-compliant urethane-fortified wood finish that provide outstanding UV protection. Ideal for surfaces such as doors, railings, exterior wood furniture, soffits, siding, log homes, trim, and fences.

#### "LOW GLOSS"

GLOSS LEVEL	4
CODE	43606
BASE	SATIN AMBER
GALLON	●
PAIL	●
MPI	33



# COMMERCIAL REDUCERS / THINNERS



CODE	78001	78003	78007	78011
PRODUCT	MINERAL SPIRITS	BUTYL CELLOSOLVE	PETROLEUM NAPHTHA	XYLENE
QUART		•		
GALLON		•		•
PAIL	•		•	•

  

CODE	78013	78017	78019	78043
PRODUCT	TOLUENE	LACQUER THINNER	PREMIUM LACQUER THINNER	M.E.K.
QUART	•		•	
GALLON	•	•	•	•
PAIL	•	•	•	•

**Ask your Cloverdale Paint Representative about our new product developments and our extensive line of lacquers.**

## Our Paint Finishes and Their Recommended Applications

Our Paints and Varnishes are available in a range of industry-standard Gloss Levels, from GL1 "Flat" through GL6 "Gloss". It's important to recognize that the names given to the various gloss levels are subjective and vary from Company to Company, and do not reflect an industry standard, whereas the actual gloss ranges of GL1 through GL6 follow the general ranges set out by the Master Painter's Institute.

### GLOSS LEVEL 1 "FLAT"

(up to 5 units at 60°)

#### USES: WALLS, CEILINGS

- Most exquisite designer finish
- Non-reflective for walls and ceilings
- Lower traffic areas
- Burnishes more easily
- Masks surface irregularities

Product Example: Ecologic® Washable Flat 70663



### GLOSS LEVEL 2 "EGGSHELL"

(5-10 units at 60°)

#### USES: WALLS, CEILINGS

- Most widely specified wall finish
- Provides depth of colour to any living area
- Low sheen when viewed from any angle
- Washable and ideal for most living spaces.

Product Example: Ecologic® Eggshell 70693



### GLOSS LEVEL 3 "PEARL"

(10-20 units at 60°)

#### USES: WALLS, TRIM, DOORS, CABINETS

- An Ideal option between an Eggshell and glossier finishes
- Complements flat walls when used on trim, doors in same space
- Higher degree of burnish resistance and scrubability
- Ideal for kid's rooms and laundry rooms

Product Example: Ecologic® Pearl 70653



### GLOSS LEVEL 4 "LOW GLOSS"

(20-35 units at 60°)

#### USES: TRIM, DOORS, CABINETS

- Higher-traffic surfaces and areas with moisture such as kitchens and bathrooms
- Highly washable
- Good light reflectance
- Good scuff resistance

Product Example: Ecologic® Low Gloss 70683



### GLOSS LEVEL 5 "SEMI-GLOSS"

(40-60 units at 60°)

#### USES: TRIM, DOORS, CABINETS

- Higher-traffic surfaces and areas with moisture such as kitchens and bathrooms
- Highly washable
- Good light reflectance
- Good scuff resistance

Product Example: Ecologic® Semi-Gloss 70623



### GLOSS LEVEL 6 "GLOSS"

(75 or greater units at 60°)

#### USES: TRIM, DOORS, MOULDINGS, FURNITURE, FLOORS

- Highly reflective
- High traffic areas and surfaces
- Most dramatic look on walls
- Can highlight surface irregularities
- Highly washable

Product Example: Ecologic® Gloss 70603





Proudly Canadian Owned & Operated

**Cloverdale Paint Inc.**  
400 - 2630 Croydon Drive  
Surrey, British Columbia, Canada V3Z 6T3  
Tel: (604) 596.6261  
[www.cloverdalepaint.com](http://www.cloverdalepaint.com)